




AOSYS INSTRUMENT SET FOR 3.5 MM LOCKING PLATE SYSTEM








Sr.	Ref. No.	Product Name	Qty.
1	X101.01	Depth Gauge, 2.7/3.5mm	1
2	X101.03	Double Drill Guide Sleeve 2.5mm 3.5mm	1
3	X901.03	Drill Bit with Quick Coupling, 2.5mm x 150mm	1
4	X901.04	Drill Bit with Quick Coupling, 2.5mm x 200mm	1
5	X901.05	Drill Bit with Quick Coupling, 2.8mm x 180mm	2
6	X901.11	Drill Bit with Quick Coupling, 3.5mm x 110mm	1
7	X101.08	Locking Drill Sleeve 2.8mm	3
8	X101.10	T Handle for Locking Sleeve	1
9	A780602150	K Wire, Simple, 2.0mm x 150mm	3
10	X101.14	Screw Driver Shaft, 2.5mm, Hexagonal for 3.5mm screw	1
11	X101.15	Screw Driver, 2.5mm, Hexagonal for 3.5mm screws	1
12	X101.19	T Handle with Quick Coupling for Drill / Tap	1
13	X101.20	Tap, 3.5mm	1
14	X101.22	Torque Limiting Screw Driver 3.5mm	1
15	X102.25	AO Quick Coupling Adaptor	1
16	X101.28	Hollow Mill for 4.0mm screw	1
17	X101.29	Counter Sink 4.0mm	1
18	X101.40	Counter Sink 6.5mm	1
19	X101.35	Sleep Extractor for 2.5mm	1
20	X101.31	Self Centering Bone Holding Forcep Medium	1
21	X101.32	Reduction Forceps Serrated Medium	2
22	X101.33	Reduction Forceps Pointed Medium	1
23	X101.34	Locking Drill Sleeve, 2.5mm	3
24	X101.23	Implant tray for Proximal Humerous	1
25	X101.24	Implant tray for Proximal Tibia 3.5mm Plate Left & Right	2
26	X101.25	Implant tray for Distal Tibia 3.5mm plate Left & Right	2
27	X101.26	Implant tray for LCP Small / RCP	1
28	X101.27	Implant Tray for Fibula 2.7 & 3.5mm	1
29	X101.21	Implant Tray for Periarticular Humerus	1
30	X101.38	Carbide Drill Bit 2.5mm	1
31	X101.39	Carbide Drill Bit 5.0mm	1
32	X104.14M	Hohmann Retractor (Medium)	1
33	X101.21	Instrument / Implant Box for 3.5mm Locking Plate	1

AOSYS INSTRUMENT SET FOR 5.0MM / 4.5MM LOCKING SYSTEM





Sr.	Ref. No.	Product Name	Qty.
1	X102.01	Depth Gauge, 4.5mm	1
2	X102.03	Double Drill Guide Sleeve 3.2mm / 4.5mm	1
3	X901.06	Drill Bit with Quick Coupling, 3.2mm * 150mm	1
4	X901.08	Drill Bit with Quick Coupling, 4.3mm * 225mm	2
5	X902.12	Drill Bit, 4.5mm * 150mm	1
6	X102.09	Locking Drill Sleeve 4.3mm for 5mm screw	2
7	X102.22	Locking Drill Sleeve 3.2mm for 5mm cancellous screw	2
8	X101.10	T Handle for BCP Sleeve	1
9	A780602150	K Wire, Simple, 2.0mm * 150mm	2
10	X102.14	Torque Limiting Screw Driver 5.0mm	1
11	X102.15	Screw Driver Shaft, 3.5mm, Hexagonal	1
12	X102.16	Screw Device, 3.5mm, Hexagonal for 4.5/5.0mm screw	1
13	X101.19	T Handle with Quick Coupling for Drill / Tap	1
14	X102.17	Tap, 4.5mm	1
15	X102.25	AO Quick Coupling Adaptor	1
16	X101.40	Counter Sink 6.5mm	1
17	X102.27	Slip Extractor 5.0mm	1
18	X102.28	Hollow Mill for 5.0mm Screw	1
19	X104.14L	Hohmann Retractor (Large)	1
20	X102.19	DISTAL FEMUR PLATE TRAY (Left & Right)	2
21	X102.20	LOCKING LATERAL TIBIA PLATE TRAY	1
22	X102.29	BROAD & NARROW PLATES TRAY	1
23	X102.21	SELF CENTERING BONE HOLDING Forcep Large	1
24	X102.23	REDUCTION FORCEPS SERRATED Large	1
25	X102.24	REDUCTION FORCEPS POINTED Large	1
26	X102.30	Screw Box	1
27	X102.31	Complete Instrument Set for 5.0 mm/4.5 mm Locking System	1
		Additional Instruments	
28	X102.02	Direct Measuring Device	1
29	X102.06	Drill Bit, 4.3mm * 200mm, Cannulated	1
30	X102.08	Guide Wire Sleeve, 2.0mm	2
31	X102.10	Guide Wire, 2.0mm * 230mm (Simple)	2
32	X102.11	Guide Wire, 2.0mm * 230mm (Threaded)	2
33	X102.12	Screw Driver Shaft, Cannulated, 5.0mm, Hexagonal	1
34	X102.13	Screw Driver, Cannulated, 3.5mm, Hexagonal	1

AOSYS INSTRUMENT SET FOR DISTAL RADIUS LOCKING PLATE SYSTEM



Sr.	Ref. No.	Product Name	Qty.
1	X101.01	Depth Gauge, 2.7/3.5 mm	1
2	X101.03	Double Drill Guide Sleeve 2.5/ 3.5mm	1
3	X103.02	Double Drill Guide Sleeve 2.0/2.7mm	1
4	X901.03	Drill Bit With Quick Coupling, 2.5 x 100mm	1
5	X901.05	Drill Bit With Quick Coupling, 2.8 x 180mm	2
6	X901.11	Drill Bit With Quick Coupling, 3.5 x 110mm	1
7	X901.01	Drill Bit With Quick Coupling, 1.8 x 100mm	2
8	X901.02	Drill Bit With Quick Coupling, 2.0 x 100mm	2
9	X101.08	Locking Drill Sleeve 2.8mm	2
10	X103.07	Locking Drill Sleeve 2.0mm	2
11	X104.03	Locking Drill Sleeve 1.8mm	2
12	X104.04	VA Locking Drill Sleeve 2.4mm Conical with Angle Cap for 1.8mm Drill Bit	1
13	X104.05	VA Locking Double Drill Sleeve 2.4mm Conical with Angle Cap for 1.8mm Drill Bit	1
14	X101.10	T Handle for Locking Sleeve	1
15	A780602150	K Wire, Simple, 2.0mm * 150mm	3
16	A780612150	K Wire, Simple, 1.2mm * 150mm	3
17	X101.14	Screw Driver Shaft, 2.5mm, Hex for 3.5mm Screw	1
18	X101.15	Screw Driver, 2.5mm, Hex for 3.5mm Screws	1
19	X101.19	T Handle with QC for Drill / Tap	1
20	X101.20	Tap, 3.5mm	1
21	X104.07	Tap, 2.7mm	1
22	X101.22	Torque Limiting Screw Driver 3.5mm	1
23	X103.12	STAR Head Screw Driver, for 2.4/2.7mm Screw	1
24	X103.10	STAR Head Screw Driver Shaft , for 2.4/2.7mm Screw	1
25	X103.16	Torque Limiting Handle QC for 2.4/2.7mm Screw	1
26	X102.25	AO Quick Coupling Adaptor	1
27	X101.37	Hollow Mill for 2.7mm Screw	1
28	X101.28	Hollow Mill for 3.5mm Screw	1
29	X101.29	Counter Sink 4.0mm	1
30	X101.35	Slip Extractor for 2.5mm	1
31	X101.36	Slip Extractor for 2.7mm	1
32	X101.38	Carbide Drill Bit 2.5mm	1
33	X101.39	Carbide Drill Bit 5.0mm	1
34	X104.11	Self Centering Bone Holding Forcep Small	1
35	X104.12	Reduction Forceps Serrated Small	1
36	X104.13	Reduction Forceps Pointed Small	1
37	X104.14S	Hohmann Retractor (Small)	1
38	X104.15	Empty Instrument / Implant Box with 6 trays for Distal Radius Locking Plate System	1

AOSYS INSTRUMENT SET FOR TOMO FIXATION PLATE





Sr.	Ref. No.	Product Name	Qty.
1	X111.01	Bone Spreder	1
2	X102.01	Depth Gauge, 4.5mm	1
3	X102.04	Drill Bit with Quick Coupling, 3.2mm x 150mm	1
4	X102.05	Drill Bit with Quick Coupling, 4.3mm x 225mm	2
5	X111.02	Femoral Clip Large	1
6	X111.03	Hammer	1
7	X111.04	Osteotome Chisel, 20mm	1
8	X111.05	Osteotome Chisel, 25mm	1
9	X102.16	Screw Driver, 3.5mm, Hexagonal	1
10	X101.15	Screw Driver, 2.5mm, Hexagonal	1
11	X111.06	Bone Spreder Soft Lock	1
12	X102.03	Double Drill Guide Sleeve 3.2mm / 4.5mm	1
13	X102.09	Drill Sleeve for BCP, 4.3mm	2
14	X111.07	Gap Measuring Device	1
15	X111.08	K Wire, 2.5mm x 280mm (Simple)	2
16	X111.09	Osteotome Chisel, 10mm	1
17	X111.10	Osteotome Chisel, 15mm	1
18	X102.14	Torque Limiting Screw Driver 5.0mm	1
19	X111.11	Tibia Clip, Small	1
20	X111.12	Vertical Pole	3
21	X111.13	Complete Instrument Set for - BCP	1
22	X111.14	Instrument Box	1

AOSYS INSTRUMENT SET FOR DHS AND DCS LOCKING PLATE SYSTEM



Sr.	Ref. No.	Product Name	Qty.
1	X110.01	Angle Guide Adjustable	1
2	X110.02	Angle Guide Fix for DHS 130°	1
3	X110.03	Centering Sleeve - Long	1
4	X110.04	Coupling Screw - Short	1
5	X110.05	Direct Measuring Device	1
6	X102.04	Drill Bit with Quick Coupling, 3.2mm x 150mm	1
7	X102.05	Drill Bit with Quick Coupling, 4.3mm x 225mm	2
8	X107.04	Drill Bit, 4.5mm x 200mm, Cannulated	1
9	X110.06	Angle Guide Fix For DCS 95°	1
10	X110.07	Angle Guide Fix for DHS 135°	1
11	X110.08	Centering Sleeve - Short	1
12	X102.01	Depth Gauge, 4.5mm	1
13	X102.03	Double Drill Guide Sleeve 3.2mm / 4.5mm	1
14	X102.09	Drill Sleeve for BCP, 4.3mm	2
15	X110.09	Guide Shaft	1
16	X102.10	Guide Wire, 2.0mm x 230mm (Simple)	2
17	X102.11	Guide Wire, 2.0mm x 230mm (Threaded)	2
18	X105.07	Guide Wire, 2.5mm x 230mm (Simple)	2
19	X105.08	Guide Wire, 2.5mm x 230mm (Threaded)	2
20	X304.20	Quick Coupling "T" Handle	1
21	X107.01	Tap, Cannulated, 6.5mm	1
22	X102.17	Tap, 4.5mm	1
23	X110.11	Tap for DHS/DCS	1
24	X110.12	Impactor	1
25	A780602150	K Wire, Simple, 2.0mm x 150mm	2
26	X107.06	Screw Driver, Cannulated, 3.5mm, Hexagonal	1
27	X102.14	Torque Limiting Screw Driver 5.0mm	1
28	X102.15	Screw Driver Shaft, 3.5mm, Hexagonal for 4.5/5.0mm screw	1
29	X102.16	Screw Device, 3.5mm, Hexagonal for 4.5/5.0mm screw	1
30	X101.19	T Handle with Quick Coupling for Drill / Tap	1
31	X110.13	Triple Reamer for Distal Femoral Compression Plate	1
32	X110.14	Wrench	1
33	X110.15	Triple Reamer for Femoral Head Compression Plate	1
34	X110.16	Complete Instrument Set for	1
35	X110.17	Instrument Box	1


AOSYS INSTRUMENT SET FOR ACL-PCL RECONSTRUCTION SYSTEM



Sr.	Ref. No.	Product Name	Qty.
1	X898.01	Angle Bullate	1
2	X898.02	Arthroscopic Probe	1
3	X898.03	Cannulated Femoral Flowertip Reamer, Dia.6.0mm	1
4	X898.04	Cannulated Femoral Flowertip Reamer, Dia.7.0mm	1
5	X898.05	Cannulated Femoral Flowertip Reamer, Dia.8.0mm	1
6	X898.06	Cannulated Femoral Flowertip Reamer, Dia.9.0mm	1
7	X898.07	Cannulated Femoral Flowertip Reamer, Dia.10.0mm	1
8	X898.08	Cannulated Femoral Flowertip Reamer, Dia.11.0mm	1
9	X898.09	Cannulated Femoral Flowertip Reamer, Dia.12.0mm	1
10	X898.10	Cannulated Screwdriver for BioLoc Interference Screws	1
11	X898.11	Cannulated Tibial Reamer, Dia.6.0mm	1
12	X898.12	Cannulated Tibial Reamer, Dia.7.0mm	1
13	X898.13	Cannulated Tibial Reamer, Dia.8.0mm	1
14	X898.14	Cannulated Tibial Reamer, Dia.9.0mm	1
15	X898.15	Cannulated Tibial Reamer, Dia.10.0mm	1
16	X898.16	Cannulated Tibial Reamer, Dia.11.0mm	1
17	X898.17	Cannulated Tibial Reamer, Dia.12.0mm	1
18	X898.18	Convex Rasp	1
19	X898.19	Depth Gauge for ACL/PCL Reconstruction	1
20	X898.20	Elbow Aimer	1
21	X898.21	Femoral Aimer, 5mm	1
22	X898.22	Femoral Aimer, 7mm	1
23	X898.23	Femoral PCL Elevator	1


Sr.	Ref. No.	Product Name	Qty.
24	X898.24	Graft Passing 2.4mm Drill Bit	1
25	X898.25	Graft Passing Pin (Beadth Pin)	1
26	X898.26	Graft Prep Station	1
27	X898.27	Graft Sizing Block	1
28	X898.28	Graphic Case for Knee Arthroscopy Instruments	1
29	X898.29	Impactor for Spiked Ligament Staple	1
30	X898.30	Main zig	1
31	X898.31	Microfracture Awl, 30°	1
32	X898.32	Microfracture Awl, 45°	1
33	X898.33	Microfracture Awl, 90°	1
34	X898.34	PCL Femoral	1
35	X898.35	PCL Tibial	1
36	X898.36	Straight Rasp	1
37	X898.37	Straight Rasp	1
38	X898.38	Tendon Stripper, Closed End, 6mm	1
39	X898.39	Tendon Stripper, Open End, 7mm	1
40	X898.40	T-Handle for Tunnel Dilators	1
41	X898.41	Tunnel Dilator, 7mm	1
42	X898.42	Tunnel Dilator, 8mm	1
43	X898.43	Tunnel Dilator, 9mm	1
44	X898.44	Tunnel Plug, 7-8 mm	1
45	X898.45	Tunnel Plug, 8-9 mm	1
46	X898.46	Tunnel Plug, 9-10 mm	1

AOSYS INSTRUMENT SET FOR CANNULATED CANCELLOUS BONE SCREW 4.0 MM



Sr.	Ref. No.	Product Name	Qty.
1	X103.01	Tap, Cannulated, 4.0mm	1
2	X108.01	Direct Measuring Device	1
3	X103.03	Drill Bit 2.7mm x 150mm, Cannulated	2
4	X103.08	Guide Wire, 1.2mm x 150mm (Simple)	2
5	X103.09	Guide Wire, 1.2mm x 150mm (Threaded)	2
6	X108.02	Parallel Guide	1
7	X103.11	Screw Driver Cannulated, 2.5mm, Hexagonal	1
8	X108.03	Complete Instrument Set for Cannulated Cancellous Bone Screw 4.0mm	1

AOSYS INSTRUMENT SET FOR CANNULATED CANCELLOUS BONE SCREW 6.5 MM



Sr.	Ref. No.	Product Name	Qty.
1	X107.01	Tap, Cannulated, 6.5mm	1
2	X107.03	Direct Measuring Device	1
3	X107.04	Drill Bit 4.5mm x 200mm, Cannulated	2
4	X102.10	Guide Wire, 2.0mm x 230mm (Simple)	2
5	X102.11	Guide Wire, 2.0mm x 230mm (Threaded)	2
6	X107.05	Parallel Guide	1
7	X102.13	Screw Driver, Cannulated, 3.5mm, Hexagonal	1
8	X107.07	Complete Instrument Set for Cannulated Cancellous Bone Screw 6.5mm	1

Manufacturing Facility :

AOSYS[®]

Revolutionising healthcare with innovation

Aosys Private Limited

Plot No : 66 & 67, Shreeji Charan Industrial Park,
Opp KP Kanta Bakrol Road, Indore Highway, Kujad Bakrol,
Taluka Daskroi 382430, District Ahmedabad.

Mobile : +91 92272 53532, +91 98255 28258

Email : info.aosys@gmail.com

Visit Us : www.aosyspvtltd.com, www.aosys.in

Product Marketed by :

MEDISURG
International


Medisurg International

A/217, Tirthraj Complex, Opp. Hasubhai Chamber,
Madalpur, Ellisbridge, Ahmedabad-380006. (Gujarat) India.

Mobile : +91 9727 42 43 69.



Email : info@medisurg.in

AOSYS INSTRUMENT SET FOR HARP SCREW (Herbert Screw)




Sr.	Ref. No.	Product Name	Qty.
1	X109.01	Quick Coupling Handle	1
2	X109.02	Handle for Compression Sleeve	1
3	X109.03	Double Drill Guide Sleeve 1.0 X 2.0mm	1
4	X109.04	2.4mm Compression Sleeve	1
5	X109.05	3.0mm Compression Sleeve	1
6	X904.01	Guide Wire Simple 1.0mm X 150mm	4
7	X109.07	Direct Measuring Device for Herbert Screw	1
8	X109.08	Screw Driver Shaft For Herbert Screw	1
9	X109.09	Cannulated Drill Bit with Quick Coupling	1
10	X109.10	Cannulated Drill Bit 2.0mm	1
11	X109.11	Cannulated Screw Driver Shaft for Herbert Screw	1
12	X109.12	Cannulated Trapezium Drill Bit for Herbert Screw	1
13	X109.13	Implant and Instrument Box for Herbert Screw	1

AOSYS INSTRUMENT SET FOR FLEXI NAIL SYSTEM




Sr.	Ref. No.	Product Name	Qty.
1	X309.01	Bender	2
2	X309.02	Impactor (1)	1
3	X309.03	Impactor (2)	1
4	X309.04	Self Locking Wrench	1
5	X309.05	Open Cone	1
6	X309.06	Rod Cutter	1
7	X309.07	Intramedullary Needle Holding Forceps	1
8	X309.08	Bender I	1
9	X309.09	Bender II	1
10	X309.10	Wrench	1
11	X309.11	Joint Level for Hammer	1
12	X309.12	Sliding Hammer	1
13	X309.13	Drill Guide $\varnothing 3.2 - \varnothing 4.5$	1
14	X309.14	Drill Bit $\varnothing 2.7 \times 200$	1
15	X309.15	Drill Bit $\varnothing 3.2 \times 200$	1
16	X309.16	Drill Bit $\varnothing 4.5 \times 200$	1
17	X309.17	Instrument Box	1

AOSYS INSTRUMENT SET FOR HUMERUS INTERLOCKING NAIL



Sr.	Ref. No.	Product Name	Qty.
1	X303.01	Main Zig	1
2	X301.02	Distal Device Bolt	2
3	X303.03	Extractor Screw	1
4	X303.04	Conical Bolt	2
5	X306.09	Depth Gauge	1
6	X301.02	Drill Sleeve, 2.7mm x 6.0mm	1
7	X303.06	Screw Driver 3.4mm (Hexagonal)	1
8	X303.07	Trocar	1
9	X303.08	Distal Device	1
10	X303.09	Compression Device	1
11	X303.10	Compression Screw	1
12	X305.07	Protection Sleeve, 8.0mm x 6.0mm	1
13	X303.11	Drill Bit, 2.7mm x 250mm	1
14	X303.12	Guide Wire, 1.8mm x 20" (Simple)	1
15	X301.14	Hammer	1
16	X303.14	Hammering Bolt	1
17	X301.19	Allen Key	1
18	X303.15	Impactor Extractor	1
19	X303.17	Bone AWL	1
20	X303.16	Instrument Box	1
21	X303.18	Complete Instrument Set for Classic Interlocking Nail	1


AOSYS MULTILOCK HUMERAL INTERLOCKING NAIL INSTRUMENT KIT



Sr.	Ref. No.	Product Name	Qty.
1	X308.01	Template for Development	1
2	X308.02	Guide Pin (Ø1.5*150)	2
3	X308.03	Limit Deep Guide Pin (Ø2.0*200)	2
4	X308.04	Guide Pin (Ø2.5*250)	1
5	X308.05	Protective Sleeve (Ø11.5)	1
6	X308.06	Conversion Connector	1
7	X308.07	T-Shaped Quick Coupling Handle	1
8	X308.08	Proximal Cannulated Drill Bit (Ø10)	1
9	X308.09	Open Device	1
10	X308.10	Reduction Rod	1
11	X308.11	Guide Pin Control Device (Ø1.5-Ø2.5)	1
12	X308.12	Ball Head Guide Pin (Ø2.5*680)	1
13	X308.13	Measure of Ball Head Guide Pin	1
14	X308.14	Flexible Reamer (7, 8, 8.5, 9, 10)	5
15	X308.15	Handle	1
16	X308.16	Connection Bolt (M6)	2
17	X308.17	Open Wrench (SW11)	1
18	X308.18	Main Nail Pull Connecting Rod (M6)	1
19	X308.19	Sliding Hammer	1
20	X308.20	Proximal Guide Bar	1
21	X308.21	Proximal Guide Pin Locking Wheel (M6)	2
22	X308.22	Multi Dimensional Locking Positioning Sleeve (Ø13/Ø10)	1
23	X308.23	Multi Dimensional Locking Positioning Screw Drilling Sleeve (Ø10/Ø3.8)	1
24	X308.24	Tap (Ø3.8)	1
25	X308.25	Drill Bit (With Limiter) (Ø3.8*270)	2
26	X308.26	Depth Gauge (Dual purpose)	1
27	X308.27	Countersink Drill	1
28	X308.28	Multi Dimensional Locking Wrench	1
29	X308.29	Locking Position Sleeve (Ø10/Ø5.8)	3

Sr.	Ref. No.	Product Name	Qty.
30	X308.30	Drill Sleeve for Locking Screw (Ø5.8/Ø2.8)	3
31	X308.31	Drill Bit (With Limiter) (Ø2.8/Ø200)	1
32	X308.32	Quick Coupling Hex Screw Driver (SW2.5)	1
33	X308.33	Torque Handle (1.5 N.M)	1
34	X308.34	Locking Screw Wrench	1
35	X308.35	Locking Sleeve (Ø11/Ø8.2)	1
36	X308.36	Locking Screw Sleeve (Ø8.2/Ø3.0)	1
37	X308.37	Tap (Ø3.0)	1
38	X308.38	Drill Bit (With Limiter) (Ø3.0*300)	1
39	X308.39	Wrench of Limiter (SW3.0)	1
40	X308.40	Locking Screw Depth Gauge	1
41	X308.41	Quick Coupling Wrench (SW2.5)	1
42	X308.42	Locking Screw Wrench (SW2.5)	1
43	X308.43	Proximal Front Guide Rod	1
44	X308.44	Proximal Front Guide Rod Locking Wheel (M6)	1
45	X308.45	Compression Bolt (M6)	1
46	X308.46	Distal Guide Pin	1
47	X308.47	Positioning Stem Flats Drill (Ø3.8)	1
48	X308.48	Positioning Rod	1
49	X308.49	Position Card	1
50	X308.50	Distal Positioning Frame (Left)	1
51	X308.51	Distal Positioning Frame (Right)	1
52	X308.52	Connecting Locking Wheels (M6)	3
53	X308.53	Locking Wheels Spanner (SW5.0)	1
54	X308.54	Temporary Positioning Rod	1
55	X308.55	Measure of End Cap	1
56	X308.56	Hex Rod (SW2.5)	1
57	X308.57	Extract Rod	1
58	X308.58	Instrument Box	1





AOSYS INSTRUMENT SET FOR PROXIMAL FEMORAL INTERLOCKING NAIL ANTIROTATION



Ref. No.	Product Name	Qty.
X904.59	Guide Wire 3.2mm x 400mm Threaded	4
X306.55	Guide Wire Long 3.0mm x 600mm	1
X904.60	Guide Wire 2.5mm x 115cm (Bullet Tip)	1
X306.03	Drill Bit (4.0mm x 325mm) (Stopper)	1
X306.04	Drill Bit (3.2mm x 300mm) (Stopper)	1
X902.05	Drill Bit 4.0mm x 300mm	1
X902.03	Drill Bit 3.2mm x 250mm	1
X306.05	Drill Sleeve (8.0mm x 4.0mm)	1
X306.06	Drill Sleeve (8.0mm x 3.2mm)	1
X306.07	Protection Sleeve (11.0mm x 8.0mm)	2
X306.08	Guide Wire Sleeve (11.0mm x 3.2mm)	1
X306.09	Depth Gauge	1
X306.10	Guide Wire, 2.5mm x 115cm (Simple)	1
X902.02	Drill Bit, 3.2mm x 170mm	1
X902.04	Drill Bit, 4.0mm x 170mm	1
X306.13	Combined Hammer	1
X306.14	Proximal Entry Reamer, 15.5mm	1
X306.15	Screw Driver 4.9mm (Hexagonal)	1
X306.16	Guide Wire Sleeve 15.5mm x 3.2mm	1
X306.17	Cannulated Instrument Cleaner 3.0mm	1
X306.18	Trocar 3.2mm	1
X306.19	Compression Screw	1
X306.20	Extractor Rod for Lag Screw	1
X306.21	Entry Reamer, 10.0mm for PFN Blade	1
X306.22	Reamer, 10.0mm for PFN Blade	1
X306.23	Impactor for PFN Blade	1
X306.24	End Cap Box Spanner With Capture	1
X306.25	Hammer Guide	1
X306.26	Wire Guide	1

Ref. No.	Product Name	Qty.
X306.27	Allen Key	1
X307.27	Guide Wire Pusher	1
X306.29	Spanner, 11 mm	1
X306.30	Direct Measuring Device for Guide Wire	1
X306.31	Extractor Rod for PFN Blade	1
X306.32	Screw Driver Hexagonal With Spherical Head	1
X306.33	Bone AWL With T Handle	1
X306.34	Quick Coupling "T" Handle	1
X306.35	Tissue Protection Sleeve 15.5mm	1
X306.36	Main Zig	1
X306.37	Conical Bolt	2
X306.38	Distal Device	1
X306.39	Tissue Protector	1
X306.40	Protection Sleeve, 16.0mm x 11.0mm (PFN Blade)	1
X306.49	Buttress Nut for Protection Sleeve	1
X306.42	Proximal Device 130°	1
X306.43	Connector for PFN Zig	1
X306.44	Screw Driver for Connecting Screw	1
X306.45	Screw Introducer	1
X306.44	Screw Driver for Connecting Screw	1
X903.01	Flexi Bal Reamer Shaft	1
X903.02to12	Reamer Tip 8.5mm to 13mm	10
X306.48	Tommy Bar	1
X306.41	Guide Wire position Aiming Device	1
X306.50	Flexible reamer 15.5 cannulated	1
X306.52	Ruler	1
X306.53	PFNA Instrument Box	1
X306.54	PFNA Implant Box Long & Short	1
X306.56	PFNA Implant Box Short	1





AOSYS INSTRUMENT SET FOR 5.5MM PEDICLE SCREWS FOR THORACOLUMBAR FIXATION SYSTEM



Sr.	Ref. No.	Product Name	Qty.
1	X401.01	Awl 2.4mm	1
2	X401.02	Straight Thoracic Probe Dia. 2.7mm	1
3	X401.03	Straight Lumbar Probe Dia. 3.2mm	1
4	X401.04	Curved Lumbar Probe Dia. 3.2mm	1
5	X401.05	Torque-Limiting Driver 12 N.m Q.C.	1
6	X401.06	Ratchet Handle straight Q.C.	2
7	X401.07	Anti-rotation Sleeve Dai. 5.5mm	1
8	X401.08	Marking Pin Sleeve	1
9	X401.09	Ball Type Marking Pin Dia. 2.5mm	4
10	X401.10	Column Type Marking Pin Dia. 2.5mm	4
11	X401.11	Rod Bender Dia. 5.5 / 4.5 / 6.35mm	1
12	X401.12	4.5mm Tap	1
13	X401.13	5.5mm Tap	1
14	X401.14	6.5mm Tap	1
15	X401.15	Polyaxial Screw Driver for 5.5mm system	2
16	X401.16	Monoaxial Screw Driver for 5.5mm system	2
17	X401.17	Trial Rod	1
18	X401.18	Pedicle Feeler	1
19	X401.19	Pedicle Feeler Dual Ended	1
20	X401.20	Pedicle Screw Remove Driver SW 3.5mm	1
21	X401.21	Inner Screwdriver Shaft T27	1
22	X401.22	Screwdriver for Crosslink Connector SW3.0mm	1
23	X401.23	Forceps Rocker	1

Sr.	Ref. No.	Product Name	Qty.
24	X401.24	Rod Holding Forceps Dia. 5.5mm	1
25	X401.25	Crosslink Size Measuring Card	1
26	X401.26	Inner screw Pre-Locking Screwdriver T27	1
27	X401.27	Inner Screw Inserter T27	2
28	X401.28	T Handle Final Tightener T27	1
29	X401.29	Break off Inner Final Tightener	1
30	X401.30	Fixed Angle Screw Positioner	1
31	X401.31	Rod Pusher Dia. 5.5mm	1
32	X401.32	Rod Rotating Forceps dual end SW 5mm	1
33	X401.33	Break off for Reduction Screw	1
34	X401.34	Rod Bender (L) Dia. 5.5mm	1
35	X401.35	Rod Bender (R) Dia. 5.5mm	1
36	X401.36	Rod Gripper	2
37	X401.37	Distractor Forceps 0-35mm	1
38	X401.38	Compression Forceps 50-60mm	1
39	X401.39	Reduction Sleeve	1
40	X401.40	Rod Reducer	1
41	X401.41	Screw Size Measuring block	1
42	X401.42	Instrument Box with 4 trays	1
		Additional Instruments	
43	X401.61	Rod cutter (hand grip) for spine system	1
44	X401.62	Rod cutter (on desk type) for spine system	1

AOSYS POSTERIOR CERVICAL SYSTEM INSTRUMENT SET



Sr.	Ref. No.	Product Name	Qty.
1	X403.01	Anti Rotation Sleeve Dia. 3.5mm (PCS)	1
2	X403.02	Lamina Hook Probe (PCS)	1
3	X403.03	Tap 3.5mm (PCS)	1
4	X403.04	Tap 4.0mm (PCS)	1
5	X403.05	Polyaxial Screw Driver (PCS)	2
6	X403.06	Rod Bender 3.5mm (Left)	1
7	X403.07	Rod Bender 3.5mm (Right)	1
8	X403.08	Rod Holding Forceps (PCS)	1
9	X403.09	Rocker Forceps for Poly screw 3.5mm (PCS)	1
10	X403.10	Rod Setter for (PCS)	1
11	X403.11	Depth Meter (PCS)	1
12	X403.12	Gun Type Reduction Forceps (PCS)	1
13	X403.13	Screw Alignment Tool (PCS)	1
14	X403.14	Template Rod (PCS)	1
15	X403.15	Pedicle feeler straight for (PCS)	1
16	X403.16	Double Head Pedicle feeler for (PCS)	1
17	X403.17	Inner screw Inserter (PCS)	2
18	X403.18	Marking Pin Sleeve (PCS)	1

Sr.	Ref. No.	Product Name	Qty.
19	X403.19	Ball Type Marking Pin Dia. 2.0mm (PCS)	4
20	X403.20	Column Type Marking Pin Dia. 2.0mm (PCS)	4
21	X403.21	Screw Driver Shaft SW 2.5mm for Poly screw (PCS)	1
22	X403.22	Screw Driver Shaft Long SW 3.0mm for Inner screw (PCS)	1
23	X403.23	Drill Bit QC Dia. 2.2mm	2
24	X403.24	Drill Guide with Measurement	1
25	X403.25	Quick coupling Handle	2
26	X403.26	Rod Pusher 3.5mm	1
27	X403.27	Awl for 3.5mm (PCS)	1
28	X403.28	Straight Probe for 3.5mm (PCS)	1
29	X403.29	Sleeve 8 to 16mm drill for (PCS)	1
30	X403.30	Sleeve 16 to 30mm drill for (PCS)	1
31	X403.31	Rod Cutting Forceps for (PCS)	1
32	X403.32	Compression Forceps	1
33	X403.33	Rod Bending Forceps	1
34	X403.34	Distraction Forceps	1
35	X403.35	Instrument Box for (PCS)	1
36	X403.36	Implant Box for Posterior Cervical	1

Manufacturing Facility :

AOSYS[®]

Revolutionising healthcare with innovation

Aosys Private Limited

Plot No : 66 & 67, Shreeji Charan Industrial Park,
Opp KP Kanta Bakrol Road, Indore Highway, Kujad Bakrol,
Taluka Daskroi 382430, District Ahmedabad.

Mobile : +91 92272 53532, +91 98255 28258

Email : info.aosys@gmail.com

Visit Us : www.aosyspvtltd.com, www.aosys.in

Product Marketed by :

MEDISURG
International


Medisurg International

A/217, Tirthraj Complex, Opp. Hasubhai Chamber,
Madalpur, Ellisbridge, Ahmedabad-380006. (Gujarat) India.

Mobile : +91 9727 42 43 69.


Email : info@medisurg.in

AOSYS PLIF - TLIF CAGE INSTRUMENT SET



Sr.	Ref. No.	Product Name	Qty.
1	X402.01	PLIF - TLIF CAGE SHAVER 8MM	1
2	X402.02	PLIF - TLIF CAGE SHAVER 9MM	1
3	X402.03	PLIF - TLIF CAGE SHAVER 10MM	1
4	X402.04	PLIF - TLIF CAGE SHAVER 11MM	1
5	X402.05	PLIF - TLIF CAGE SHAVER 12MM	1
6	X402.06	PLIF - TLIF CAGE SHAVER 13MM	1
7	X402.07	PLIF - TLIF CAGE SHAVER 14MM	1
8	X402.08	Cage Pusher Straight	1
9	X402.09	CAGE FUNNEL	1
10	X402.10	Cage Funnel graft pusher	1
11	X402.11	T-HANDLE with Q.C.	1
12	X402.12	Straight cup curret	1
13	X402.13	Left cup curret	1
14	X402.14	Right cup curret	1
15	X402.15	ring cup curret	1
16	X402.16	small forward angle curret	1
17	X402.17	TLIF CAGE HOLDER	2
18	X402.18	TLIF CAGE TRIAL 8 MM	1
19	X402.19	TLIF CAGE TRIAL 9 MM	1
20	X402.20	TLIF CAGE TRIAL 10 MM	1
21	X402.21	TLIF CAGE TRIAL 11 MM	1
22	X402.22	TLIF CAGE TRIAL 12 MM	1
23	X402.23	TLIF CAGE TRIAL 13 MM	1
24	X402.24	TLIF CAGE TRIAL 14 MM	1
25	X402.25	Plif Cage Trial 8mm	1
26	X402.26	Plif Cage Trial 9mm	1
27	X402.27	Plif Cage Trial 10mm	1
28	X402.28	Plif Cage Trial 11mm	1
29	X402.29	Plif Cage Trial 12mm	1
30	X402.30	Plif Cage Trial 13mm	1
31	X402.31	Plif Cage Trial 14mm	1
32	X402.32	PLIF Cage Holder	1
33	X402.33	Slot Hammer for Tlif	1
34	X402.34	Slot Hammer for Plif	1
35	X402.35	cage holder for bone graft	1
36	X402.36	PLIF-TLIF Instrument set box	1

AOSYS INSTRUMENT SET FOR SCOLIOSIS CORRECTION SYSTEM



Sr.	Ref. No.	Product Name	Qty.
1	X404.01	L Shaped Rod Bender (L) Ø5.5	1
2	X404.02	L Shaped Rod Bender (R) Ø5.5	1
3	X404.03	Extension Sleeve Ø5.5	6
4	X404.04	Reduction Plate 200mm	2
5	X404.05	Nut for Reduction Plate Ø19	4
6	X404.06	Connector I 160mm	4
7	X404.07	Segment Connector Ø14	8
8	X404.08	Connect Shaft 215mm	2
9	X404.09	Final Screw Driver T27	2
10	X404.10	Screw Holder Ø5.5	8
11	X404.11	Rod Press Sleeve Ø5.5	8
12	X404.12	Sleeve Wrench Ø23	1
13	X404.13	Gun Type Unlock Forceps Ø9	1
14	X404.14	Tray	1
15	X404.15	Instrument Box	1

Manufacturing Facility :

AOSYS[®]

Revolutionising healthcare with innovation

Aosys Private Limited

Plot No : 66 & 67, Shreeji Charan Industrial Park,
Opp KP Kanta Bakrol Road, Indore Highway, Kujad Bakrol,
Taluka Daskroi 382430, District Ahmedabad.

Mobile : +91 92272 53532, +91 98255 28258

Email : info.aosys@gmail.com

Visit Us : www.aosyspvtltd.com, www.aosys.in

Product Marketed by :

MEDISURG
International

Medisurg International

A/217, Tirthraj Complex, Opp. Hasubhai Chamber,
Madalpur, Ellisbridge, Ahmedabad-380006. (Gujarat) India.

Mobile : +91 9727 42 43 69.

Email : info@medisurg.in

AOSYS INSTRUMENT SET FOR BROKEN NAIL REMOVAL SET



Sr.	Ref. No.	Product Name	Qty.
1	X701.01	Connecting Rod M4	1
2	X701.02	Connecting Rod M5	1
3	X701.03	Connecting Rod M6*1	1
4	X701.04	Connecting Rod M7*1(left?	1
5	X701.05	Connecting Rod M8*1	1
6	X701.06	Connecting Rod M9	1
7	X701.07	Connecting Rod M10*1	1
8	X701.08	Connecting Rod M11	1
9	X701.09	Connecting Rod M12*1.5	1
10	X701.10	Connecting Rod taper 1	1
11	X701.11	Connecting Rod taper 2	1
12	X701.12	Connecting Rod M10*1.5	1
13	X701.13	Connecting Rod M12*1.75	1
14	X701.14	Connecting Rod 7/16-20	1
15	X701.15	Connecting Rod M7*1(Left?	1
16	X701.16	Connecting Rod taper 2	1
17	X701.17	Hexagon Screw Driver SW2.5*150	1
18	X701.18	Hexagon Screw Driver SW3.0*150	1
19	X701.19	Hexagon Screw Driver SW3.5*150	1
20	X701.20	Hexagon Screw Driver SW4.0*150	1
21	X701.21	Hexagon Screw Driver SW4.5*150	1
22	X701.22	Hexagon Screw Driver SW5.0*150	1
23	X701.23	Hexagon Screw Driver SW8.0*150	1
24	X701.24	Hexagon Screw Driver SW7.0*150	1
25	X701.25	T-Shape Quick Handle	1
26	X701.26	L Shape Wrench	1
27	X701.27	L Shape Hexagon Wrench SW5.0	1
28	X701.28	Wrench Open-Mouth	1
29	X701.29	Blade Extractor	1
30	X701.30	Sliding Hammer	1
31	X701.31	PFNA Blade Screw Driver Left	1
32	X701.32	PFNA Blade Screw Driver Right	1
33	X701.33	Connecting Rod for Dial Device	1
34	X701.34	Handle for Dial Device	1
35	X701.35	Box	1

Manufacturing Facility :

AOSYS[®]

Revolutionising healthcare with innovation

Aosys Private Limited

Plot No : 66 & 67, Shreeji Charan Industrial Park,
Opp KP Kanta Bakrol Road, Indore Highway, Kujad Bakrol,
Taluka Daskroi 382430, District Ahmedabad.

Mobile : +91 92272 53532, +91 98255 28258

Email : info.aosys@gmail.com

Visit Us : www.aosyspvtltd.com, www.aosys.in

Product Marketed by :

MEDISURG
International



Medisurg International

A/217, Tirthraj Complex, Opp. Hasubhai Chamber,
Madalpur, Ellisbridge, Ahmedabad-380006. (Gujarat) India.

Mobile : +91 9727 42 43 69.

Email : info@medisurg.in

AOSYS BROKEN SCREW REMOVAL INSTRUMENT SET LIST



Ref. No.	Product Name	Specification	Qty.
X700.01	Torx screwdriver	T6.2(Ø2.0)×90mm	1 pc.
X700.02	Torx screwdriver	T8(Ø2.5)×90mm	1 pc.
X700.03	Torx screwdriver	T9(Ø2.7)×90mm	1 pc.
X700.04	Torx screwdriver	T10(Ø3.0)×90mm	1 pc.
X700.05	Torx screwdriver	T15(Ø3.4)×90mm	1 pc.
X700.06	Torx screwdriver	T18(Ø3.9)×90mm	1 pc.
X700.07	Torx screwdriver	T20(Ø4.3)×90mm	1 pc.
X700.08	Torx screwdriver	T25(Ø4.5)×90mm	1 pc.
X700.09	Torx screwdriver	T30(Ø5.2)×90mm	1 pc.
X700.10	Torx screwdriver	T6(Ø1.8)×90mm	1 pc.
X700.11	Torx screwdriver	T7(Ø2.4)×90mm	1 pc.
X700.12	Hexagon Screwdriver	SW1.5×90mm	1 pc.
X700.13	Hexagon Screwdriver	SW2.0×90mm	1 pc.
X700.14	Hexagon Screwdriver	SW2.5×90mm	2 pc.
X700.15	Hexagon Screwdriver	SW3.0×90mm	1 pc.
X700.16	Hexagon Screwdriver	SW3.5×90mm	1 pc.
X700.17	Hexagon Screwdriver	SW4.0×90mm	1 pc.
X700.18	Hexagon Screwdriver	SW4.5×90mm	1 pc.
X700.19	Hexagon Screwdriver	SW5.0×90mm	1 pc.
X700.20	Hexagon Screwdriver	SW5.5×90mm	1 pc.
X700.21	Hollow saw for broken screw	Ø2.0×90mm	1 pc.
X700.22	Hollow saw for broken screw	Ø2.7×90mm	1 pc.
X700.23	Hollow saw for broken screw	Ø4.0*150mm	2 pc.
X700.24	Hollow saw for broken screw	Ø5.0*150mm	1 pc.
X700.25	Hollow saw for broken screw	Ø6.5*150mm	1 pc.
X700.26	Hollow saw for broken screw	Ø8.0*150mm	1 pc.
X700.27	Extractor for broken screw	Ø3.5\4.0mm	1 pc.
X700.28	Extractor for broken screw	Ø4.5\5.0mm	1 pc.
X700.29	Alloy drill bit	Ø5mm	1 pc.

Ref. No.	Product Name	Specification	Qty.
X700.30	Alloy drill bit	Ø6mm	1 pc.
X700.31	Alloy drill bit	Ø4mm	1 pc.
X700.32	Trephine	Ø4.0×90mm	1 pc.
X700.33	Trephine	Ø5.0×90mm	1 pc.
X700.34	Trephine	Ø6.5×90mm	1 pc.
X700.35	Slip extractor	SW2.0×90mm	1 pc.
X700.36	Slip extractor	SW2.5×90mm	1 pc.
X700.37	Slip extractor	SW2.7×90mm	1 pc.
X700.38	Slip extractor	SW3.5×90mm	1 pc.
X700.39	Slip extractor	SW4.0×90mm	1 pc.
X700.40	Fixed screw extractor	90mm	1 pc.
X700.41	Cross screwdriver	90mm	1 pc.
X700.42	Straight screwdriver	3×90mm	1 pc.
X700.43	Straight screwdriver	6×90mm	1 pc.
X700.44	Triangle screwdriver	Ø2.0	1 pc.
X700.45	Square screwdriver	1.2×90mm	1 pc.
X700.46	Square screwdriver	1.5×90mm	1 pc.
X700.47	Broken screw clamping forceps		1 pc.
X700.48	Reamer		1 pc.
X700.49	Sharp hook		1 pc.
X700.50	Osteotome	8mm	1 pc.
X700.51	T-shape quick handle		1 pc.
X700.52	Straight quick handle		1 pc.